

21-0-4 FERTILIZER WITH 0.2% MERIT INSECTICIDE AND FORTIFY-N Details

NY Product No. 432-1349-9198

Type INSECTICIDE
 Use AGRICULTURAL, ORNAMENTAL
 Status REGISTERED
 Restriction Codes NYSDEC 326.23(e)
 Restriction Conditions GROUNDWATER ADVISORY
 Toxicity Statement AQUATIC INVERTEBRATES
 Signal Word CAUTION
 Precautionary Statement ORAL, DERMAL
 Formulation SOLID
 Renewal Date 09/30/2017
 Initial Registration Date 05/17/2016

Active Ingredients

AI Code	Active Ingredient Name	Percent of AI
129099	Imidacloprid	0.2

NYS Labels/Documents

Document Type	Accepted Date	Label/Document No.
PRIMARY LABEL	05/17/2016	545426

May 17, 2016



21-0-4 Fertilizer

with 0.2% MERIT[®] Insecticide and Fortify[®]-N

- For fertilization and insect control in turfgrass and landscape ornamentals and sod farms
- Fertilizer with MERIT[®] Insecticide

ACTIVE INGREDIENT:
Insecticide, 1-Ethionon-3-cyridinylmethyl-4-nitro-2-imidazolylidene 0.2%

OTHER INGREDIENTS: 99.8%

EPA Reg. No. 452-1349-9186
EPA Est. No. 9188-OH-1A, 9188-OH-2B, 9198-AI-0016
Undefined letter is first letter used in non code column

**STOP - READ THE LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que lo ayude alguien que sepa español. (To the user: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-331-2687

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Note To Physician: No specific antidote is available. Treat the patient symptomatically.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION
Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE):
WPS (USE): Applicators and other handlers who handle this product for any use covered by the Worker Protection Standard (40 CFR part 170) - in general, agricultural plant uses (e.g., use in sod farms, most turf):

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material such as barrier laminate, nitril rubber, neoprene rubber, natural rubber, polyethylene, polyvinylchloride (PVC) or vinyl. If you want more options, follow the instructions for category A on an EPA chemical-resistant category selection chart.
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Non-WPS (USE): Applicators and other handlers who handle this product for any use NOT covered by the Worker Protection Standard (40 CFR part 170) - in general, only agricultural plant uses are covered by the WPS, must wear:

- Shirt and pants
- Goggles
- Shoes plus socks

USER SAFETY RECOMMENDATION

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put in clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas before the rain begins. Do not contaminate water when disposing of equipment/washwater.
This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Net Wt. 50 Lbs. (22.68 kg)



21-0-4 Fertilizer with 0.2% MERIT[®] Insecticide and Fortify[®]-N

The Andersons 21-0-4 Fertilizer with 0.2% MERIT[®] Insecticide and Fortify[®]-N



21-0-4 Fertilizer with 0.2% MERIT[®] Insecticide and Fortify -N

Guaranteed Analysis

Total Nitrogen (N)	21.00%
21.00% Nitrogen - Nitrate Soluble Phosphorus (P ₂ O ₅)	4.00%
Plant nutrients derived from urea and potassium chloride. Chlorine (Cl) Max.	3.40%
*10.50% Nitrogen stabilized with N-(n-butyl) thiophosphoric triamide. F292	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any application specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses, keep children and pets off treated area until dry.

APPLICATION TO TURFGRASS

The use of this product will provide plant nutrients as well as providing control of selected insect pests. This product can be used for the control of soil dwelling pests of lawns, for example northern and southern meadow chafers, Cyclocephala howardi, D. immanicola, and/or G. lurida, Asiatic garden beetle, Atractodes castaneus, European chafers, Rhizotrogus melleus, Oryctes lineator, Colinus ridgelyi, or June beetles, Physiphora spp.; Japanese beetle, Popillia japonica, Oriental beetle, Anisotoma consocii, Eucinetus termis, redlegged partridge beetle, Eucinetus lineator, redlegged partridge beetle, Spangolium spp.; annual bluegrass weevil, Lixus varians, scarab beetle, Black turfgrass attainers, Albioporus spretus, Aphodius spp., crane flies Tipula spp., and mole crickets, Scaphiopus spp. Use this product as directed on turfgrass including home lawns, school grounds, tennis courts and hospital grounds, city, county, state, municipal and federal grounds, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, churches, cemeteries, parks, playgrounds, athletic fields and cool farms.

The active ingredient in this product has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. The need for an application can be based on historical monitoring of the site, previous records or experience, current season adult trapping or other methods. Optimum control will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically into the soil profile.

APPLICATION TO ORNAMENTALS

This product can be used as a broadcast application on ornamentals in commercial and residential landscapes, as well as on landscaped areas of golf courses and other recreational areas. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the vascular and other vascular tissues. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the vascular and other vascular tissues. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the vascular and other vascular tissues. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation or rainfall to place the active ingredient into the soil. Make application prior to anticipated pest infestation to achieve optimum levels of control.

Applications of this product cannot exceed a total of 200 lbs. (94.4 lb. of active ingredient) per acre per year.

RESTRICTIONS: Not for use in commercial greenhouses, or nurseries.

APPLICATION EQUIPMENT

Apply this product uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply this product. Avoid the use of spreaders which would apply the material in narrow concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

APPLICATION RATES			DOSAGE THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.2% MERIT INSECTICIDE 21-0-4 AND FORTIFY-N
CROP	PEST		
Turf Grasses	Annual bluegrass weevil Borers Crane flies Larvae of white grubs; for example: Aphodius spp. Asiatic garden beetle Black turfgrass attainers European chafers	Green June beetle Japanese beetle Northern meadow chafers Oriental beetle Physiphora spp. Southern meadow chafers Sustana Beetle	150 to 200 lbs. per acre or 3.5 to 4.5 lbs. per 1,000 sq. ft.
For optimum control, make application prior to egg hatch of the target pest. Be sure to read "APPLICATION EQUIPMENT" Section of this label.			
Make outside check bags (expression)			200 lbs. per acre or 4.5 lbs. per 1,000 sq. ft.
For suppression of chafers, make application prior to the hatching of the first instar nymphs. For control of mole crickets make application within one week of the post-egg hatch period. If application is not made prior to egg hatch, and adults or large nymphs are present and actively tunneling, apply this product in combination with a residual insecticide to minimize damage to turf.			
Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application.			
USER RESTRICTIONS: Do not apply more than 200 lb (94.4 lb of active ingredient) per acre per year. Do not apply to soils which are unincorporated or saturated, which will not allow penetration into the root zone of the plant. For optimum control, irrigate if rainfall does not occur within 24 hours after application to move the active ingredient through the thatch. On golf courses, irrigate treated areas following applications. For optimum control, mow and do not leave grass clippings on lawn after irrigation or rainfall has occurred so that uniformity of application will not be affected. Avoid runoff or puddling of irrigation water following application.			

APPLICATION RATES FOR USE ON ORNAMENTALS		
SITE	PEST	DOSAGE THE ANDERSONS TURF PRODUCTS FERTILIZER WITH 0.2% MERIT INSECTICIDE 21-0-4 AND FORTIFY-N
Landscape Plantings Including: Trees, Shrubs, Emergents, Flowers, Perennials, Plants, Ground Covers	White grub larvae For example: Japanese beetle larvae, chafers, Physiphora spp., Asiatic garden beetle, Oriental beetle	3.5 to 4.5 lbs. per 1,000 sq. ft.
Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.		
USE RESTRICTIONS: Do not apply this product by any application method, to lawns, lawns, or other turf species. Do not apply more than 200 lb (94.4 lb of active ingredient) per acre per year. For optimum control, irrigate if rainfall does not occur, or incorporate mechanically within 24 hours after application and move the active ingredient into the soil. Avoid runoff or puddling of irrigation water following application. Avoid application of Merit 0.2% Turf Fortify to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant. Do not apply to vegetable gardens.		

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Handling: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration or as allowed by the state and local authorities, by burning, if allowed, only if empty.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not wash through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, large quantities should be removed.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE. TIME EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No part of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER DISCLAIMS ANY LIABILITY whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MANUFACTURER'S ELECTION, THE REPLACEMENT OF PRODUCT.

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119
Maumee, OH 43537

MERIT is a registered trademark of Bayer.
The Andersons and Fortify logos are registered trademarks of The Andersons, Inc.

Net Wt. 50 Lbs. (22.68 kg)

ASP21UMR5.1
ASP21UMR5.1B



SPREADER SETTINGS FOR THIS PRODUCT

The following chart can be used as a guide in establishing an accurate rate of this product. The suggested settings provide an application rate of 3.5 lb per 1,000 sq. ft. or 150 lb per acre. Application rates will vary dependent upon speed, equipment wear and condition of spreader. Carefully calibrate all equipment used prior to use of this product.

50 lbs. treats 14,200 sq. ft. (0.33 acre) at the 150 lbs. product/acre - LOW RATE (3.5 lbs/1,000 sq. ft.)
50 lbs. treats 11,100 sq. ft. (0.25 acre) at the 200 lbs. product/acre - HIGH RATE (4.5 lbs/1,000 sq. ft.)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LOW RATE 0.3 lb. ai/A	HIGH RATE 0.4 lb. ai/A
Andersons Model 2000 / AccuPro 2000 (cone 4) Andersons 2000 SR / SR-2000 (cone 4)	3 mph	10 feet	L 1/4	M 1/4
The Andersons LCO-1000	3 mph	10 feet	L 1/4	M 1/4
Scotts R-8A (cone 4)	3 mph	10 feet	K 1/4	L 1/4
Lesco 020093 (pattern 0.25)	3 mph	7 feet	E	E 1/2
Lesco 705698 (pattern 0.25)	3 mph	7 feet	12	13
Lely Models - WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-C	4.5 mph	34 feet	5 1/2	6 1/4
Vicon (03 Series)	4.5 mph	29 feet	27	32

The Andersons
Fertilizer
with 0.2% MERT[®]
Insecticide 21-0-4

For fertilization and insect control in turfgrasses and landscape ornamentals and sod farms.
Fertilizer with MERT[®] Insecticide.

Guaranteed Analysis	
Total Nitrogen	21.00% (as Nitrogen)
Soluble Phosphoric Acid	4.00%
Plant nutrients derived from urea, polymer coated sulfur coated urea and potassium chloride.	
Chlorine (Cl) Max.	3.46%
10.5% slowly available nitrogen from polymer coated sulfur coated urea.	
P2O5	
Elemental Phosphorus	21.00% (as Phosphorus)
Total Phosphorus	25.00% (as Phosphorus)
Other Nutrients	
Other Nutrients	100.0%

CONVERSION TABLES: For use on all turfgrasses and other plants, but in FL, use conversion table below. For P, K & Mg or other nutrients, use the following conversion factors: P, 1 part = 100 mg; K, 1 part = 100 mg; Mg, 1 part = 100 mg.

RECOMMENDATIONS: For ornamentals, use 1/2 cup per year. For sod farms, use 1/2 cup per year. For turfgrasses, use 1/2 cup per year. For sod farms, use 1/2 cup per year. For turfgrasses, use 1/2 cup per year. For sod farms, use 1/2 cup per year. For turfgrasses, use 1/2 cup per year. For sod farms, use 1/2 cup per year.

ACTIVE INGREDIENTS: 1-Like-Chloro-3-pyridinylmethyl-N-Nitro-3-imidazolethione.

NET WEIGHT: 21.00% (as Nitrogen), 4.00%, 3.46%, P2O5, 21.00% (as Phosphorus), 25.00% (as Phosphorus), 100.0%.

U.S. PATENT No. 5,783,203
EPA Reg. No. 632-136-9138
Chlorine (Cl) Max. 3.46%
Unfertilized Sod Farm Use Only. Do not use on sod farms.

STOP - READ THE LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN

CAUTION
PRECAUCIÓN AL USUARIO: Si usted no puede leer o entender el inglés, no use este producto hasta que le sea explicado por un hablante bilingüe de español y inglés. Este producto debe ser leído y entendido por usted.

FOR MEDICAL AND TRANSPORTATION EMERGENCIES ONLY Call 24 Hours A Day 1-800-334-7377
FOR PRODUCT USE INFORMATION Call 1-800-331-2867

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Remove contaminated clothing or shoes if possible.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Net Wt. 21.00% (as Nitrogen)

PRECAUTIONS TO HUMANS AND DOMESTIC ANIMALS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Irritant if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Irritant if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Irritant if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to adjacent areas where the material may drift. Do not contaminate water when disposing of equipment washwaters. This chemical demonstrates the properties and characteristics associated with chemicals regulated in groundwater. Where such are permitted, particularly where the label states, may result in groundwater contamination.

DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this product in a way that will contact waters or other persons, other property or the environment. Observe all precautions and restrictions on this label. Do not apply to areas where it is prohibited. Do not apply to areas where it is prohibited. Do not apply to areas where it is prohibited.

AGRICULTURAL USE REQUIREMENTS

This product only to be used on crops and plants as labeled. Do not use on crops and plants not listed. Do not use on crops and plants not listed. Do not use on crops and plants not listed. Do not use on crops and plants not listed.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in the box apply to uses of this product that are NOT within the scope of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This product is labeled for use on lawns, gardens, and ornamentals. Do not use on lawns, gardens, and ornamentals not listed. Do not use on lawns, gardens, and ornamentals not listed.

APPLICATION TO TURFGRASSES

This product can be used as a pre-emergent on lawns and golf courses. This product can be used as a pre-emergent on lawns and golf courses. This product can be used as a pre-emergent on lawns and golf courses. This product can be used as a pre-emergent on lawns and golf courses.

APPLICATION TO ORNAMENTALS

This product can be used on ornamentals as labeled. Do not use on ornamentals not listed. Do not use on ornamentals not listed. Do not use on ornamentals not listed. Do not use on ornamentals not listed.

APPLICATION TO LAWNS

This product can be used on lawns as labeled. Do not use on lawns not listed. Do not use on lawns not listed. Do not use on lawns not listed. Do not use on lawns not listed.

APPLICATION TO GOLF COURSES

This product can be used on golf courses as labeled. Do not use on golf courses not listed. Do not use on golf courses not listed. Do not use on golf courses not listed. Do not use on golf courses not listed.

APPLICATION EQUIPMENT

Apply this product uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply this product. Avoid the use of granulators which will apply the material in narrow, concentrated bands. Calibrate application equipment before use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and discharging granules uniformly and accurately.

SPREADER SETTINGS FOR THIS PRODUCT

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying this product. 50 lbs. means 14,200 sq. ft. (0.23 lbs. per 1,000 sq. ft.). 100 lbs. means 28,400 sq. ft. (0.35 lbs. per 1,000 sq. ft.). 150 lbs. means 42,600 sq. ft. (0.51 lbs. per 1,000 sq. ft.).

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			LOW RATE	HIGH RATE	HIGH RATE
Andersons Accu-Spray 2000, SR-2000 (area 2)	3 mph	12 feet	K 1/2	M	
Andersons SS-2 Drop	3 mph	overlap wheels	3.84		4 1/2
Scotts R-8A (area 2)	3 mph	11 feet	L 1/2	M 1/2	
Light Machine, WTR, WTR, WS, 1250 (PTO & 650 rpm)	4.5 mph	26 feet	4 1/2		4 3/4
Victor (83 Series)	4.5 mph	24 feet	23		25

RESTRICTIONS:

Avoid application of this product to areas where rain or irrigation will occur. Do not apply this product to areas where rain or irrigation will occur. Do not apply this product to areas where rain or irrigation will occur. Do not apply this product to areas where rain or irrigation will occur.

CONTACT AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Pesticide Disposal: Pesticides resulting from the use of this product may be disposed of in any of the approved waste disposal facilities. Non-hazardous Pesticide Disposal: Non-hazardous pesticides may be disposed of in any of the approved waste disposal facilities. Hazardous Pesticide Disposal: Hazardous pesticides may be disposed of in any of the approved waste disposal facilities.

HANDLING AND STORAGE:

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and open container in a manner as to prevent spillage. Material is stable for any season or season. Stability: Material is stable for any season or season. Stability: Material is stable for any season or season.

CONTAINER:

Handle and open container in a manner as to prevent spillage. Material is stable for any season or season. Stability: Material is stable for any season or season. Stability: Material is stable for any season or season.

CONTAINER:

Handle and open container in a manner as to prevent spillage. Material is stable for any season or season. Stability: Material is stable for any season or season. Stability: Material is stable for any season or season.

CONTAINER:

Handle and open container in a manner as to prevent spillage. Material is stable for any season or season. Stability: Material is stable for any season or season. Stability: Material is stable for any season or season.

MANUFACTURER:

The Andersons logo is a registered trademark of The Andersons, Inc. MERT is a registered trademark of Bayer. This product is specifically formulated and sold by The Andersons, Inc. for the control of insects according to the directions on this label. Bayer CropScience LP has rights to U.S. Patent No. 5,783,203. The purchase price of this product includes a prepatent license under which patentable aspects of this product are protected by a license to any subsequent purchaser. Use of the product other than those specified on this label are not intended through the purchase of this product.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT 3, MERT 3-FL. Registered trademarks of The Andersons: Accu-Spray, SR-2000, SS-2, R-8A, Light Machine, WTR, WTR, WS, 1250, Victor.

REGISTERED TRADEMARKS:

Registered trademarks of Bayer: MERT, MERT